ELSEVIER

International Journal of Mass Spectrometry 204 (2001) 295

International Journal of Mass Spectrometry

Author index

Adams, M.W.W., 79
Amster, I.J., 79
Armentrout, P.B., 7, 143

Baranov, V., 209
Bayse, C.A., 31
Bluhm, B.K., 31
Bohme, D.K., 209
Bowers, M.T., 283
Brodbelt, J.S., 133
Buchanan, J.W., 223

Callahan, J.H., 101
Castleman, A.W., Jr., 247
Chen, Z., 133
Clemmer, D.E., 87
Cooks, R.G., 159
Counterman, A.E., 87
Crestoni, E., 255

Dearden, D.V., 171
Duncan, M.A., 223

Ervin, K.M., 197
Eyler, J.R., 255

Fabris, D., 1
Fenselau, C., 1
Fu, Z., 143

Gertner, J.W., 101
Gilligan, J.J., 247
Glish, G.L., 47
Grieves, G.A., 223

Hall, M.B., 31
Hartman, J.A.R., 101
Harvey, J.N., 233
Hathout, Y., 1
Herman, Z., 247
Hettich, R.L., 55
Hoppilliard, Y., 267
Huang, Z., 133

Jackson, P., 233
Johnson, K.A., 79

Kemper, P.R., 283

Lang, G.H.L., 255
Leary, J.A., 185
Leavell, M.D., 185
Lebrilla, C.B., 23
Leskiw, B.D., 247
Liu, J., 23
Loo, J.A., 113

Marchand, A.P., 133
McCunn, L.R., 247
Morse, M.D., 143

Namboothiri, I.N.N., 133
Nicoll, J.B., 171

Ohanessian, G., 267

Payne, A.H., 47
Polce, M.J., 125

Reddic, J.E., 223
Reyzer, M.L., 133
Richardson, D.E., 255
Rogalewicz, F., 267
Russell, D.H., 31
Russon, L.M., 143
Ryan, M.F., 255

Schröder, D., 233
Schwarz, H., 233
Shi, Y., 197
Shields, S.J., 31
Shin, S.K., 283
Spasov, V.A., 197

Tao, W.A., 159
Taraszka, J.A., 87
Tjelta, B.L., 7
Tseng, K., 23

Vachet, R.W., 101
Verhagen, M.F.J.M., 79

Walter, D., 7
Wesdemiotis, C., 125
Wu, J., 125

Zhang, D., 159
Zhang, Q., 283

1387-3806/01/$20.00 © 2001 Elsevier Science B.V. All rights reserved

ELSEVIER

International Journal of Mass Spectrometry 204 (2001) 296–299

International Journal of Mass Spectrometry

Subject index

Alcohols
Intrinsic reactivity of metal–hydroxide complexes: O—H bond activation and adduct formation in gas-phase reactions of Cp_2ZrOH^+, 255
Alkali cation
Reactions of multidentate ligands with ligated alkali cation complexes: self-exchange and "sandwich" complex formation kinetics of gas phase crown ether–alkali cation complexes, 171
Amides
Intrinsic reactivity of metal–hydroxide complexes: O—H bond activation and adduct formation in gas-phase reactions of Cp_2ZrOH^+, 255
Amino acids
Chiral resolution of D- and L-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes, 159
Associative ionization
Associative ionization of excited sodium species with various ligands: assessing relative bonding strengths of ion–ligand interactions, 247

Binding selectivity
Determination of alkali metal binding selectivities of caged crown ligands by electrospray ionization quadrupole ion trap mass spectrometry, 133
Bond activation
Structure and reactivity of the prototype iron–oxide cluster $Fe_2O_2^+$, 233
Bond energies
Determination of weak Fe^+–L bond energies (L = Ar, Kr, Xe, N_2, and CO_2) by ligand exchange reactions and collision-induced dissociation, 7
Photodissociation measurements of bond dissociation energies: $D_0(Al_2\text{-}Al)$, $D_0(TiO^+\text{-}Mn)$, and $D_0(V_+^2\text{-}V)$, 143

(c-C_5H_5)Fe^+ cation reactivity
Coordination chemistry of (c-C_5H_5)Fe^+ in the gas phase at 294 ± K: reactions with the inorganic ligands H_2, H_2O, NH_3, CO, N_2, NO, CO_2, N_2O, and NO_2, 209
Chirality
Chiral resolution of D- and L-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes, 159
CID technique
Coordination chemistry of (c-C_5H_5)Fe^+ in the gas phase at 294 ± K: reactions with the inorganic ligands H_2, H_2O, NH_3, CO, N_2, NO, CO_2, N_2O, and NO_2, 209
Clusters
Chiral resolution of D- and L-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes, 159
Photodissociation of exohedral transition metal–C_{60} complexes, 223
Sigma bond activation by transition metal ions: the $Co(CH_4)_n^+$ systems revisited, 281
Clusters ions
Associative ionization of excited sodium species with various ligands: assessing relative bonding strengths of ion–ligand interactions, 247
Collision-induced dissociation
Determination of weak Fe^+–L bond energies (L = Ar, Kr, Xe, N_2, and CO_2) by ligand exchange reactions and collision-induced dissociation, 7
Investigation of metal complex coordination structure using collision-induced dissociation and ion–molecule reactions in a quadrupole ion trap mass spectrometer, 101
Coordination number
Investigation of metal complex coordination structure using collision-induced dissociation and ion–molecule reactions in a quadrupole ion trap mass spectrometer, 101
Crown ether
Determination of alkali metal binding selectivities of caged crown ligands by electrospray ionization quadrupole ion trap mass spectrometry, 133
Reactions of multidentate ligands with ligated alkali cation complexes: self-exchange and "sandwich" complex formation kinetics of gas phase crown ether–alkali cation complexes, 171

Dissociation energy
Photodissociation measurements of bond dissociation energies: $D_0(Al_2\text{-}Al)$, $D_0(TiO^+\text{-}Mn)$, and $D_0(V_+^2\text{-}V)$, 143
σ-donating ligands
Coordination chemistry of (c-C_5H_5)Fe^+ in the gas phase at 294 ± K: reactions with the inorganic ligands H_2, H_2O, NH_3, CO, N_2, NO, CO_2, N_2O, and NO_2, 209

Electrospray

1387-3806/01/$20.00 © 2001 Elsevier Science B.V. All rights reserved

Investigation of metal complex coordination structure using collision-induced dissociation and ion–molecule reactions in a quadrupole ion trap mass spectrometer, 101
Large anhydrous polyalanine ions: substitution of Na^+ for H^+ destabilizes folded states, 87
Electrospray ionization (ESI)
Determination of alkali metal binding selectivities of caged crown ligands by electrospray ionization quadrupole ion trap mass spectrometry, 133
Differences between positive and negative ion stabilities of metal–sulfur cluster proteins: an electrospray ionization Fourier transform ion cyclotron resonance study, 77
Dissociation mechanisms for metal N-glycosides of N-acetyl neuraminic acid, 185
Probing protein–metal ion interactions by electrospray ionization mass spectrometry: enolase and nucleocapsid protein, 113
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. II. Decompositions of glycine–Zn(II) complexes, 267
Enantiomeric excess
Chiral resolution of D- and L-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes, 159
Enolase
Probing protein–metal ion interactions by electrospray ionization mass spectrometry: enolase and nucleocapsid protein, 113
Esters
Intrinsic reactivity of metal–hydroxide complexes: O—H bond activation and adduct formation in gas-phase reactions of Cp_2ZrOH^+, 255
Excited sodium species
Associative ionization of excited sodium species with various ligands: assessing relative bonding strengths of ion–ligand interactions, 247

Fourier transform ion cyclotron resonance (FTICR)
Differences between positive and negative ion stabilities of metal–sulfur cluster proteins: an electrospray ionization Fourier transform ion cyclotron resonance study, 77
Investigating the effect of transition metal ion oxidation state on oligodeoxyribonucleotide binding by matrix-assisted laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, 55
Fourier transform ion cyclotron resonance mass spectrometry (FTICR-MS)
Structure and reactivity of the prototype iron–oxide cluster $Fe_2O_2^+$, 233
Fourier transform mass spectrometry (FTMS)
A new external ionization multisample MALDI source for Fourier transform mass spectrometry, 23
Fragmentation
Gas-phase ion/ion interactions between peptides/proteins and iron ions in a quadrupole ion trap, 47

Gas phase
Gas-phase ion/ion interactions between peptides/proteins and iron ions in a quadrupole ion trap, 47
Glycine–Zn(II) complexes
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. II. Decompositions of glycine–Zn(II) complexes, 267

Host–guest chemistry
Determination of alkali metal binding selectivities of caged crown ligands by electrospray ionization quadrupole ion trap mass spectrometry, 133
Hydrolysis
Intrinsic reactivity of metal–hydroxide complexes: O—H bond activation and adduct formation in gas-phase reactions of Cp_2ZrOH^+, 255
Hypervalent species
Complexes of Li atoms with water and ammonia: a combined neutralization–reionization mass spectrometry and theoretical study, 125

Ion–ion reactions
Gas-phase ion/ion interactions between peptides/proteins and iron ions in a quadrupole ion trap, 47
Ion–molecule reactions
Coordination chemistry of $(c\text{-}H_5H_5)Fe^+$ in the gas phase at 294 ± K: reactions with the inorganic ligands H_2, H_2O, NH_3, CO, N_2, NO, CO_2, N_2O, and NO_2, 209
Investigation of metal complex coordination structure using collision-induced dissociation and ion–molecule reactions in a quadrupole ion trap mass spectrometer, 101
Ion mobility
Large anhydrous polyalanine ions: substitution of Na^+ for H^+ destabilizes folded states, 87
Iron
Determination of weak Fe^+–L bond energies (L = Ar, Kr, Xe, N_2, and CO_2) by ligand exchange reactions and collision-induced dissociation, 7
Iron oxide
Structure and reactivity of the prototype iron–oxide cluster $Fe_2O_2^+$, 233

Kinetics
Chiral resolution of D- and L-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes, 159
Reactions of multidentate ligands with ligated alkali cation complexes: self-exchange and "sandwich" complex formation kinetics of gas phase crown ether–alkali cation complexes, 171

Li-atom complexes
Complexes of Li atoms with water and ammonia: a combined neutralization–reionization mass spectrometry and theoretical study, 125
Ligand exchange
Reactions of multidentate ligands with ligated alkali cation complexes: self-exchange and "sandwich" complex formation kinetics of gas phase crown ether–alkali cation complexes, 171
Ligand exchange reactions
Determination of weak Fe^+–L bond energies (L = Ar, Kr, Xe, N_2, and CO_2) by ligand exchange reactions and collision-induced dissociation, 7

Mass spectrometry
Dissociation mechanisms for metal N-glycosides of N-acetyl neuraminic acid, 185
Gas-phase ion/ion interactions between peptides/proteins and iron ions in a quadrupole ion trap, 47
Investigating the effect of transition metal ion oxidation state on oligodeoxyribonucleotide binding by matrix-assisted laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, 55
Matrix-assisted laser desorption/ionization (MALDI)
Investigating the effect of transition metal ion oxidation state on oligodeoxyribonucleotide binding by matrix-assisted laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, 55
A new external ionization multisample MALDI source for Fourier transform mass spectrometry, 23
Metal binding
Probing protein–metal ion interactions by electrospray ionization mass spectrometry: enolase and nucleocapsid protein, 113
Metal–hydroxide
Intrinsic reactivity of metal–hydroxide complexes: O—H bond activation and adduct formation in gas-phase reactions of Cp_2ZrOH^+, 255
Metal–ligand interactions
Photodesorption of carbonyl from $Pt_3(CO)_n^-$ ($n = 1 - 6$), 197
Metal–oxide clusters
Structure and reactivity of the prototype iron–oxide cluster $Fe_2O_2^+$, 233
Metal ion binding
Investigating the effect of transition metal ion oxidation state on oligodeoxyribonucleotide binding by matrix-assisted laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, 55
Metal ion–ligand complex
Investigation of metal complex coordination structure using collision-induced dissociation and ion–molecule reactions in a quadrupole ion trap mass spectrometer, 101
Metal ion flux
Stoichiometry in zinc ion transfer from metallothionein to zinc finger peptides, 1
Metallo–fullerenes
Photodissociation of exohedral transition metal–C_{60} complexes, 223
Metalloproteins
Differences between positive and negative ion stabilities of metal–sulfur cluster proteins: an electrospray ionization Fourier transform ion cyclotron resonance study, 77
Metallothionein
Stoichiometry in zinc ion transfer from metallothionein to zinc finger peptides, 1
Monosaccharide
Dissociation mechanisms for metal N-glycosides of N-acetyl neuraminic acid, 185
MP2 perturbation theory
Determination of copper binding sites in peptides containing basic residues: a combined experimental and theoretical study, 31

Neutralization–reionization
Complexes of Li atoms with water and ammonia: a combined neutralization–reionization mass spectrometry and theoretical study, 125
Nickel complexes
Chiral resolution of D- and L-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes, 159
Noncovalent complexes
Stoichiometry in zinc ion transfer from metallothionein to zinc finger peptides, 1
Nucleocapsid protein
Probing protein–metal ion interactions by electrospray ionization mass spectrometry: enolase and nucleocapsid protein, 113

Oligonucleotides
Investigating the effect of transition metal ion oxidation state on oligodeoxyribonucleotide binding by matrix-assisted laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, 55
Oligosaccharide
A new external ionization multisample MALDI source for Fourier transform mass spectrometry, 23

Photodesorption
Photodesorption of carbonyl from $Pt_3(CO)_n^-$ ($n = 1 - 6$), 197
Photodissociation
Photodesorption of carbonyl from $Pt_3(CO)_n^-$ ($n = 1 - 6$), 197

Photodissociation of exohedral transition metal–C_{60} complexes, 223
Platinum cluster carbonyls
Photodesorption of carbonyl from $Pt_3(CO)_n^-$ ($n = 1 - 6$), 197
Polyalanine
Large anhydrous polyalanine ions: substitution of Na^+ for H^+ destabilizes folded states, 87
Post-source decay
Determination of copper binding sites in peptides containing basic residues: a combined experimental and theoretical study, 31
Predissociation
Photodissociation measurements of bond dissociation energies: $D_0(Al_2\text{-}Al)$, $D_0(TiO^+\text{-}Mn)$, and $D_0(V_+^2\text{-}V)$, 143
Proteins
Gas-phase ion/ion interactions between peptides/proteins and iron ions in a quadrupole ion trap, 47
Proteolysis
Probing protein–metal ion interactions by electrospray ionization mass spectrometry: enolase and nucleocapsid protein, 113

Quadrupole ion trap
Determination of alkali metal binding selectivities of caged crown ligands by electrospray ionization quadrupole ion trap mass spectrometry, 133
Dissociation mechanisms for metal N-glycosides of N-acetyl neuraminic acid, 185

Radiative association
Reactions of multidentate ligands with ligated alkali cation complexes: self-exchange and "sandwich" complex formation kinetics of gas phase crown ether–alkali cation complexes, 171
Rare gases
Determination of weak Fe^+–L bond energies (L = Ar, Kr, Xe, N_2, and CO_2) by ligand exchange reactions and collision-induced dissociation, 7
Reaction stoichiometry
Stoichiometry in zinc ion transfer from metallothionein to zinc finger peptides, 1

Sequential clustering
Sigma bond activation by transition metal ions: the $Co(CH_4)_n^+$ systems revisited, 281
SIFT technique
Coordination chemistry of $(c\text{-}C_5H_5)Fe^+$ in the gas phase at 294 ± K: reactions with the inorganic ligands H_2, H_2O, NH_3, CO, N_2, NO, CO_2, N_2O, and NO_2, 209
Sodium
Large anhydrous polyalanine ions: substitution of Na^+ for H^+ destabilizes folded states, 87
Sodium bonding energies
Associative ionization of excited sodium species with various ligands: assessing relative bonding strengths of ion–ligand interactions, 247
Solvated Li atom
Complexes of Li atoms with water and ammonia: a combined neutralization–reionization mass spectrometry and theoretical study, 125
Stability
Large anhydrous polyalanine ions: substitution of Na^+ for H^+ destabilizes folded states, 87

Tandem mass spectrometry
Chiral resolution of D- and L-amino acids by tandem mass spectrometry of Ni(II)-bound trimeric complexes, 159
Thermochemistry
Structure and reactivity of the prototype iron–oxide cluster $Fe_2O_2^+$, 233
Transition metal ions
Dissociation mechanisms for metal N-glycosides of N-acetyl neuraminic acid, 185
Investigating the effect of transition metal ion oxidation state on oligodeoxyribonucleotide binding by matrix-assisted laser desorption/ionization Fourier transform ion cyclotron resonance mass spectrometry, 55
Sigma bond activation by transition metal ions: the $Co(CH_4)_n^+$ systems revisited, 281

Zinc finger peptides
Stoichiometry in zinc ion transfer from metallothionein to zinc finger peptides, 1
Zinc(II) complexes
Structures and fragmentations of zinc(II) complexes of amino acids in the gas phase. II. Decompositions of glycine–Zn(II) complexes, 267
Zirconocenes
Intrinsic reactivity of metal–hydroxide complexes: O—H bond activation and adduct formation in gas-phase reactions of Cp_2ZrOH^+, 255